

Conference Abstract

Use of Symbiota Portals to Integrate Biodiversity Information in Latin America

K. Samanta Orellana[‡], Edward Gilbert[§], Katelin Pearson[§], Greg Post[§], Mark Aaron Fisher[§], Nico Franz[§]

[‡] The University of Kansas, Lawrence, United States of America

[§] University of Kansas, Lawrence, United States of America

Corresponding author: K. Samanta Orellana (ksorellana@ku.edu)

Received: 06 Nov 2025 | Published: 11 Nov 2025

Citation: Orellana KS, Gilbert E, Pearson K, Post G, Fisher M, Franz N (2025) Use of Symbiota Portals to Integrate Biodiversity Information in Latin America. Biodiversity Information Science and Standards 9: e177303. <https://doi.org/10.3897/biss.9.177303>

Abstract

Symbiota is an open-source software for the management and mobilization of biodiversity data (Gries et al. 2014). Online [Symbiota portals](#), often with regional or taxonomic scope, are used by more than 1,200 natural history collections to directly digitize and manage their specimen records. A simplified form with all relevant terms from the Darwin Core standard (Wieczorek et al. 2012), allow users to easily transcribe the information about the specimens (Fig. 1). At the same time, Symbiota portals facilitate the integration of images and other linked resources to each record, increasing the digital information available for each specimen (Hardisty et al. 2022). Symbiota portals can also incorporate snapshots of external datasets, expanding the accessibility of biodiversity information for the community of users. Data integration and specialized tools in Symbiota portals enable the generation of interactive resources to advance biodiversity research (e.g. checklists and taxonomic keys). Most Symbiota portals have been funded by projects in the United States, and are managed by the Symbiota Support Hub (SSH), based at the University of Kansas. However, easy access to existing portals has encouraged their use by collections worldwide. Translations to Spanish, French and Portuguese also increase the participation of international users in Symbiota communities. Moreover, by following biodiversity data standards (e.g., Darwin Core) and accessibility principles (Wilkinson et al. 2016), collections digitized in Symbiota portals

can be further mobilized to regional and global aggregators (e.g., [Integrated Digitized Biocollections](#), [Global Biodiversity Integration Facility](#)), increasing the reach of the data.




Figure 1. Occurrence editor in a Symbiota portal. [Specimen image](#) courtesy of USCG Herbarium ([CC-BY-NC-4.0](#)).

In Latin America, at least 140 collections in 12 countries are actively using Symbiota portals to manage and mobilize their specimen data. Portals like [Neotropical Flora](#), [Mexican Herbaria Network](#), and [InvertEBase](#) are currently hosting more than 500,000 botanical, zoological and paleontological specimen records. Communities in portals like [Consortium of Lichen Herbaria](#) and [Guatemala Biodiversity](#) are also developing interactive resources for the study of local biodiversity, including checklists for specific taxa (Yáñez-Ayabaca et al. 2023) or regions (Castillo-Cabrera et al. 2025). Furthermore, collections from Guatemala, the Dominican Republic, and Costa Rica are sharing more than [64,000 records](#) to GBIF directly from Symbiota portals. Data mobilization to this global aggregator has increased data access, generating over one thousand citations in scientific literature for these natural history collections. Additional perspectives about the use of Symbiota portals in Latin America, and their potential for biodiversity data integration and use were shared during the presentation. Original slides in Spanish are available as supplementary material Suppl. material 1.

Keywords

natural history collections, digitization, communities of practice

Presenting author

K. Samanta Orellana

Presented at

Living Data 2025

Conflicts of interest

The authors have declared that no competing interests exist.

References

- Castillo-Cabrera FJ, Roldán RA, Barrios M, Burgos-Barrios C, Grajeda AL, García M, Cruz H, Morales-Mérida JR, Tenez D, Vásquez M, Agreda E, Velásquez I, Eufrasio A, Barahona-Fong R, Yurrita CL, Orellana KS (2025) Contribution to the knowledge of urban biodiversity in Central America: A checklist to the species of Guatemala City. *Neotropical Biology and Conservation* 20 (1): 59-66. <https://doi.org/10.3897/neotropical.20.e135435>
- Gries C, Gilbert E, Franz N (2014) Symbiota – A virtual platform for creating voucher-based biodiversity information communities. *Biodiversity Data Journal* 2 <https://doi.org/10.3897/bdj.2.e1114>
- Hardisty AR, Ellwood ER, Nelson G, Zimkus B, Buschbom J, Addink W, Rabeler RK, Bates J, Bentley A, Fortes JAB, Hansen S, Macklin JA, Mast AR, Miller JT, Monfils AK, Paul DL, Wallis E, Webster M (2022) Digital Extended Specimens: Enabling an Extensible Network of Biodiversity Data Records as Integrated Digital Objects on the Internet. *BioScience* 72 (10): 978-987. <https://doi.org/10.1093/biosci/biac060>
- Wieczorek J, Bloom D, Guralnick R, Blum S, Döring M, Giovanni R, Robertson T, Vieglais D (2012) Darwin Core: An Evolving Community-Developed Biodiversity Data Standard. *PLoS ONE* 7 (1). <https://doi.org/10.1371/journal.pone.0029715>
- Wilkinson M, Dumontier M, Aalbersberg IJ, Appleton G, Axton M, Baak A, Blomberg N, Boiten J, da Silva Santos LB, Bourne P, Bouwman J, Brookes A, Clark T, Crosas M, Dillo I, Dumon O, Edmunds S, Evelo C, Finkers R, Gonzalez-Beltran A, Gray AG, Groth P, Goble C, Grethe J, Heringa J, 't Hoen PC, Hooft R, Kuhn T, Kok R, Kok J, Lusher S, Martone M, Mons A, Packer A, Persson B, Rocca-Serra P, Roos M, van Schaik R, Sansone S, Schultes E, Sengstag T, Slater T, Strawn G, Swertz M, Thompson M, van der Lei J, van Mulligen E, Velterop J, Waagmeester A, Wittenburg P, Wolstencroft K, Zhao J, Mons B (2016) The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data* 3 (1). <https://doi.org/10.1038/sdata.2016.18>
- Yáñez-Ayabaca A, Benítez Á, Molina RB, Naranjo D, Etayo J, Prieto M, Cevallos G, Caicedo E, Scharnagl K, McNerlin B, Swanson S, Aragón G, Fernández-Prado N, Martínez I, Burgaz AR, González Y, Déleg J, Vega M, van den Boom P, Magain N, Nugra F, Oña T, Díaz PJ, Villalba-Alemán J, Moncada B, Hernández J, Gilbert EE, Bungartz F (2023) Towards a dynamic checklist of lichen-forming, lichenicolous and allied fungi of Ecuador – using the Consortium of Lichen Herbaria to manage fungal biodiversity in a megadiverse country. *The Lichenologist* 55 (5): 203-222. <https://doi.org/10.1017/S0024282923000476>

Supplementary material

Suppl. material 1: Portales Symbiota para la Integración de Información de Biodiversidad en Latinoamérica [doi](#)

Authors: K. Samanta Orellana, Edward Gilbert, Katelin Pearson, Gregory Post, Mark Fisher, Nico Franz

Data type: Slides

Brief description: Presentation slides in Spanish.

[Download file](#) (8.22 MB)