



FP7-Marie Curie Action funded under Grant Agreement PIRSES-GA-2013-612572

ILP & IRSES MEDYNA

WP 3 — *Geodynamic Seminars*

15–16 November, 2017 | [Instituto Andaluz de Ciencias de la Tierra](#)



IACT

INSTITUTO ANDALUZ DE CIENCIAS DE LA TIERRA

CSIC
CONSEJO SUPERIOR DE INVESTIGACIONES CIENTÍFICAS



Instituto Andaluz de Ciencias de la Tierra (IACT)

CSIC & Universidad de Granada

Avenida de las Palmeras 4

18100 Armilla (Granada), Spain

Table of contents

<i>ALI AHMADI BENSaid, Idris, C.J. Garrido, K. Hidas, M.J. Roman Alpiste, N. Youbi, M. A. Boumehdi, K. Chahem Rkha & M. Khalil Bensalah:</i> Crustal xenoliths of the Middle Atlas Volcanic Field	3
<i>BENBATTa, A., A. Bendaoud, C.J. Garrido, Z. Adjerid, B. Cenki-Tok, M.J. Román-Alpiste, V. López-Sánchez-Vizcaíno, O. Bruguier, S. Djemai & K. Ouzegane:</i> A complex Paleoproterozoic evolution of the In Ouzzal Terrane (Hoggar, Algeria) revealed by zircon and monazite geochronology and P-T path of Al-Fe granulites	4
<i>BENBATTa, A., A. Bendaoud, B. Cenki Tok, Z. Adjerid, K. Lacène & K. Ouzegane:</i> Ternary feldspar thermometry in the granulites from In-Ouzzal Terrane (western Hoggar, Algeria)	5
<i>BEN EL KHAZNADJI, Riad, A.-S. Abba, J.-M. Dautria & P. Monié:</i> Les laves alcalines et hyperalcalines de la région volcanique de Tazrouk (Hoggar central - LATEA - ALGERIE)	6
<i>BENNOUAR, H., K. Ouzegane, J.-L. Bodinier, C. Marchesi, C.J. Garrido, A. Vauchez & O. Alard:</i> Geochemistry of mafic and ultramafic rocks from the Gour Oumelalen area (NE Hoggar): Evidence of paleoproterozoic island arc	7
<i>BENZIZI, K., K. Ouzegane, C.J. Garrido, M. Kesraoui & M.J. Roman-Alpiste:</i> Les minéraux semi précieux de type saphir et béryl et minéraux à terres rares et uranium, associés dans les skarns et pegmatites du Hoggar (ALGERIE): Imagerie MEB et géochronologie	8
<i>BRAHMI, B., D. Chardon, A. Bendaoud, J. Berger, S. Djemai & K. Ouzegane:</i> Tectonique précambrienne du terrane de l'In Ouzzal (Hoggar occidental, Algérie)	9
<i>DJEDDI, A., F. Parat, K. Ouzegane & J.-L. Bodinier:</i> REE-enrichment in apatite-britholite exsolutions in carbonatite (In Ouzzal terrane, Hoggar, South Algeria)	10
<i>EL MOUME, Warda, N. Youbi, A. Gärtner, C.J. Garrido, U. Linnemann, C. Marchesi, R.E. Ernst, U. Söderlund, M.J. Roman-Alpiste, M. Ikenne, O. Guillou, M. Khalil Bensalah & M.A. Boumehdi:</i> The record of the Central Iapetus Magmatic Province (CIMP) in the West African Craton (Jbel Ougnat, Anti-Atlas, Morocco): U-Pb dating, petrology and geochemistry	11
<i>KHIARI, Imen, R. Sánchez-Espejo, F. García-Villén, P. Cerezo, C. Aguzzi, A. López-Galindo & C. Viseras:</i> Characterization of Tunisian medina clays used in cosmetic and therapeutic	12
<i>LACENE, Karima, Z. Adjerid, C.J. Garrido, A. Bendaoud, M.J. Román-Alpiste, A. Bitam-Derridj & K. Ouzegane:</i> Petrology and Geochronology of the metamorphic series of the SW Serouanout terrane, Central Hoggar: Witness of high pressures linked to the Panafrican subduction	13
<i>MEDDI, Yassamina, C.J. Garrido, C. Marchesi, A. Louni-Hacini, A. Azzouni-Sekkal, M.I. Varas-Reus, J. Harvey & K. Hidas:</i> Sr, Nd and Pb isotope systematics of the Cenozoic volcanism in the Algerian Tell Belt: a key constraint on the geodynamic evolution of the Westernmost Mediterranean	14
<i>MOHAMED EL ABD, Bouha, H. Ouali & C.J. Garrido:</i> Les Tonalite, Trondhjémite, Granodiorite (TTG) de la zone de Tasiast (dorsale Réguibat) Mauritanie : Implication sur l'origine de la croûte continentale primitive	15
<i>MOURABIT, Zahra, A. Tabit, C.J. Garrido & J.-L. Bodinier:</i> L'étude géochronologique de l'unité Filali (Rif interne, Maroc): implication pour U-Th-Pb de Zircon, Monazite et Rutile dans les métapelites, les gneiss et les migmatites	16
<i>OUABID, Muhammad, H. Ouali, C.J. Garrido, A. Acosta-Vigil, M.J. Román-Alpiste, J.-M. Dautria, C. Marchesi, K. Hidas:</i> The Moroccan Meseta, a vagabond terrain or a fragmented margin of the Panafrican belt (North WAC)?	17
<i>TAKFARINAS, Lamri, S. Djemai, M. Hamoudi, B. Zoheir, A. Bendaoud, K. Ouzegane, A. Vauchez, G. Dufrechou:</i> Airborne geophysics and satellite imagery for geologic mapping of the Edembo terrane, Eastern Hoggar (Algeria Sahara)	19
<i>ZETOUTOU, Souad, K. Ouzegane, Z. Adjerid, C.J. Garrido:</i> Eclogite facies from Oued Foutes (Azrou N'Fad terrane, Hoggar Central, Algeria): metamorphic study and geodynamic implication	20

Sr, Nd and Pb isotope systematics of the Cenozoic volcanism in the Algerian Tell Belt: a key constraint on the geodynamic evolution of the Westernmost Mediterranean

MEDDI, Yassamina¹, Carlos J. Garrido², Claudio Marchesi^{2,3}, Amina Louni-Hacini¹, Abba Azzouni-Sekkal^{1,4}, María Isabel Varas Reus⁵, Jason Harvey⁶ & Károly Hidas²

1 Faculté des Sciences de la Terre, de Géographie et de l'Aménagement du Territoire (FSTGAT)- Université des Sciences et de la Technologie Houari Boumédiène (USTHB)- Laboratoire de Métallogénie et Magmatisme de l'Algérie, 32, El Alia, 16111, Bab Ezzouar, Algiers, Algeria; ymeddi@usthb.dz | 2 Instituto Andaluz de Ciencias de la Tierra (IACT), CSIC & UGR, Avda. Palmeras 4, 18100 Armilla, Granada, Spain. (carlos.garrido@csic.es) | 3 Dp. Mineralogía y Petrología, Facultad de Ciencias, Universidad de Granada, Avenida Fuentenueva s/n, 18002 Granada, Spain | 4 Faculté des Sciences de la Nature et de la Vie et des Sciences de la Terre et de l'Univers, Université Abou Bekr Belkaid, BP. 119, 13000, Tlemcen, Algeria | 5 Department of Geosciences, Isotope Geochemistry Group, University of Tübingen, Wilhelmstraße 56, 72074 Tübingen, Germany | 6 School of Earth and Environment, University of Leeds, UK.

The geodynamic evolution of the Western Mediterranean is closely linked to the spatio-temporal evolution of the Cenozoic magmatism in this region. Here, we present a detailed Sr-Nd-Pb study of Cenozoic volcanism from the external and the internal zones of the Algerian Tell belt, a segment of paramount importance to unravel the Alpine geodynamic evolution of the westernmost Mediterranean. The age of the studied volcanics rocks ranges from 17 to 3 Ma, and covers the temporal and spatial evolution of magmatism from calc-alkaline rocks with a clear signature of subduction (commonly referred as to orogenic magmatism), followed by progressively younger sub-alkaline and alkaline volcanism. On the basis of their major and trace element composition, the Tell Cenozoic volcanic rocks can be classified into three main groups: (1) a Si-poor group that is composed of basalt, trachybasalt and basaltic trachyandesite; (2) a Si-intermediate group —ranging in silica from 56 to 66 wt. %— that is composed of andesite, dacite, trachyandesite et trachydacite; and a (3) Si-rich group —with silica contents generally greater than 66 wt.%— that is constituted by trachydacite, dacite and rhyolite. The Si-poor group occurs only in the External zone and it is characterized by non-radiogenic $^{87}\text{Sr}/^{86}\text{Sr}$ ratios, high initial $^{144}\text{Nd}/^{143}\text{Nd}$ ratios, significant variation of $^{206}\text{Pb}/^{204}\text{Pb}$ and $^{207}\text{Pb}/^{204}\text{Pb}$ ratios, and relatively constant $^{208}\text{Pb}/^{204}\text{Pb}$ ratios. The Si-intermediate and Si-rich groups from the Internal and External zones show substantial differences. The $^{206}\text{Pb}/^{204}\text{Pb}$ ratios of External zone volcanism are relatively constants [18.68–18.86], while they vary significantly in the Internal zone volcanism [18.55–18.92]. On the other hand, the initial $^{207}\text{Pb}/^{204}\text{Pb}$ and $^{208}\text{Pb}/^{204}\text{Pb}$ ratios in Internal zone volcanism [38.81–38.95] are significantly higher than those of the External zone [38.68–38.84]. These differing isotopic signatures reflect variable source contamination by subducted sediments similar to those now occurring in the Oligocene Flysch units, and crustal contamination by Kabylian crust in the Internal zone volcanism. A deeper primitive asthenospheric mantle source in the western External zone is increasingly patent in progressively younger Silica-intermediate and -poor volcanism. This spatio-temporal evolution of the Cenozoic evolution of the Tell magmatism is intimately correlated with the deep structures imaged by seismic tomography in this region that show the importance role of slab tearing in the western Tell external zones, and remnants of two subducted slabs beneath the eastern Tell.

Funding: This research has been funded by a FP7-IRSES Marie Curie Action under Grant Agreement PIRSESGA-2013-612572.